

Thule ProRide Bike Carrier Terms & Conditions

1 YOUR RENTAL CONTRACT

1.1 These Thule ProRide Bike Carrier Terms and Conditions (**Thule Terms and Conditions**) **must** be read in conjunction with the Rental Agreement and the rental Terms and Conditions. Together they form the Rental Contract.

1.2 In the Thule Terms and Conditions, there are extra words and phrases that have a particular meaning that You need to be familiar with:

Thule Bike Carrier means the Thule ProRide Bike Carrier and its components including the locking key;

Overhead damage means Overhead Damage as defined in paragraph 1.4 of the Terms and Conditions and includes loss or damage to any part of the Thule Bike Carrier.

2 NO DAMAGE COVER

2.1 You **must** always pay and there is no cover for:

- (a) Overhead Damage;
- (b) any other loss or damage to or theft of the Thule Bike Carrier; and
- (c) loss or damage to or theft of any bicycle carried on the Thule Bike Carrier.

3 YOUR RESPONSIBILITIES

3.1 You **must**:

- (a) mount any bicycle onto the Thule Bike Carrier in the open air; and
- (b) strictly follow the Mounting Instructions and Tips supplied to You with the Thule Bike Carrier when mounting or removing a bicycle from the Thule Bike Carrier.

3.2 You **must**:

- (a) check that any bicycle is securely mounted before driving the Vehicle; and
- (b) check at regular intervals during Your journey that any bicycle remains securely mounted and that the Thule Bike Carrier is firmly secured to the Vehicle.

3.3 The Thule Bike Carrier **must only** be used for the transportation of bicycles.

3.4 You **must not**:

- (a) use the Thule Bike Carrier if any parts are missing or appear to be worn; or
- (b) remove or attempt to remove the Thule Bike Carrier from the Vehicle.

3.5 You **must** measure the height of the bicycle at its highest point and comply with all height restrictions and advisory signs imposed by any responsible authority or property owner.

3.6 When a bicycle is mounted onto the Thule Bike Carrier You **must not**:

- (a) drive the Vehicle, or attempt to enter, into:
 - (i) any building;
 - (ii) undercover car park;
 - (iii) service station; or
 - (iv) car wash; or
- (b) travel beneath any:
 - (i) bridge;
 - (ii) cable or wires;
 - (iii) trees; or
 - (iv) overhead structure;unless there is at least a 200mm clearance to the highest point of the Vehicle.

3.7 In addition to Your obligations under the Terms and Conditions, You **must** take reasonable care of the Vehicle and the Thule Bike Carrier as the handling of the Vehicle may be affected by the extra weight added to the Vehicle and You **must** drive the Vehicle appropriately according to all the circumstances.

4 END OF RENTAL CONTRACT

4.1 At the end of Rental Period, You **must** return the Thule Bike Carrier to Us in the same condition it was in at the Start of Rental and extra cleaning charges will apply if the Thule Bike Carrier is returned with excessive road or insect debris.

4.2 The key to the Thule Bike Carrier **must** be returned to Us at the end of the Rental Period and fees and charges apply if the key to Thule Bike Carrier is lost.

Dated: / /

Printed Name:

.....
Signed

.....

I have read and agree to the Thule Terms and Conditions

Rental Agreement Number:

Fig. 1



Fig. 2




Fig. 3



Fig. 4



Fig. 5





Fig. 6



Fig. 7






Fig. 8




Mounting your bike to the THULE ProRide Bike Carrier

- 1, Unlock frame holder adjustment dial as shown in Figure 1
- 2, Position the frame holder approximately to suit your bike frame as shown in Figure 2
- 3, Slide wheel holders into the approximate position as shown in Figure 3. Note, the wheel strap can be secured temporarily by folding the strap into the retainer as shown in Figure 4, this will make it easier to load the bike into position.
- 4, Lift the bike onto the carrier so that the wheels are positioned onto the wheel holders and the bike frame is supported by the frame holder as shown in Figure 5 & 6
- 5, Rotate the frame holder adjustment dial clockwise, once closed, this will secure the bike frame to the frame holder. Once secured, lock with the key provided (Figure 7)
- 6, Slide wheel holders into position so the centre of the wheel holder is in line with the bike axle (Figure 3 & 5)

IMPORTANT: The frame holder must be positioned approximately 90 degrees to the bike frame as shown in Figure 6. If a bottle holder is fitted (or any other accessory) the holder (or accessory) must be removed to ensure the frame holder is correctly positioned.


IMPORTANT: 'Wobble test' (Fig 8). After the frame holder has been securely fastened and locked to the bike frame and the wheels are secured into the wheel holders using the straps provided, place both hands onto the bike frame and shake the bike rigorously, the wobble test. Re-check frame holder and wheel strap tension and adjust accordingly, remember to re-lock the frame holder using the key provided.

IMPORTANT: Do not use the carrier if the bike frame is not seated in the frame holder cradle or if the frame is not within the permitted dimensions as shown here:



Removing your bike from the THULE ProRide Bike Carrier

- 1, Release the wheel straps. The wheel straps can be secured temporarily by folding the strap into the retainer as shown in Figure 4
- 2, Unlock the frame holder with the key provided.
- 3, Press the quick release trigger, releasing the frame holder from the bike frame.



IMPORTANT: Be prepared to support the bike during removal, particularly if the vehicle is positioned on a slope as the bike may fall from the carrier once the tension of the adjustment dial is released.

Safety tips

Transportation of bikes on the vehicle roof will affect the handling of the vehicle, you should reduce your speed. Overall vehicle height will increase as result of bikes on the vehicle roof. Be careful of tree branches, car parks and other low clearance objects that may come into contact with the bike and or vehicle.

During your journey, stop and check to ensure bike remains securely mounted to the bike carrier and the carrier remains firmly secured to the vehicle. Do not use bike carrier or roof rack if any parts are missing or appear worn.

If there is any doubt as to the safe use of these products please contact Thule Australia 02 9439 2526